EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	28733	707/3 or 707/4 or 707/5 or 707/6 or 707/102 or 707/7 or 705/10 or 705/14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:20
L2	3477	1 and (monitor$3 or track$3) same (user with (reference or input or action))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:23
L3	296	2 and (user near2 profiles)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:23
L4	13	2 and (user near2 profiles) and (user near2 references)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:22
L5	78	2 and (user near2 profiles) and (user near2 (references or model$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:22
L6	0	5 and (user near2 behavo$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:22
L7	13	5 and (user near2 modeling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:23
L8	0	5 and ((user near2 modeling) same linguistic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:23

L9	62384	(monitor$3 or track$3) same (user with (reference or input or action))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:26
L10	1778	9 and (user near2 profiles)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:23
L11	45	10 and (user near2 modeling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:23
L12	166	1 and (semantic with similarity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:24
L13	3	12 and (user near2 modeling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:24
L14	5	12 and (user near2 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:24
L15	163	(refin$3 same query same feedback)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:25
L16	71	1 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:25

L17	2	1 and 15 and suggestion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:25
L18	976	(user near2 model$3).clm.	US-PGPUB	OR	OFF	2007/08/03 14:26
L19	3645	((monitor$3 or track$3) same (user with (reference or input or action))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:26
L20	20	18 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:26
L21	0	18 and 19 and (frequency with vector).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:27
L22	0	18 and 19 and (clusters same similarity).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 14:27

Google

| user preference modeling and monitoring user| | Search | Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [Details]
New! View and manage your web history

Web   Scholar   Results **1 - 10** of about **91,800** for <u>user **preference** **modeling** and **monitoring** **user** interactior</u>

Scholarly articles for **user preference modeling and monitoring user interaction and refining query**
The um toolkit for cooperative **user** modelling - Kay - Cited by 104
Applying **user modeling** to human-computer **interaction** design - Benyon - Cited by 38
Implicit **user modeling** for personalized search - Shen - Cited by 17

[PDF] **Consumer-Centered Interfaces Customizing Online Travel Planning**
File Format: PDF/Adobe Acrobat - View as HTML
(Linden et. al 1997) a **user model** for describing **user preferences** over a set of ...
Refining query previews techniques for data with multivalued attributes ...
hci.epfl.ch/projects/TravelPlan/phdPlan3.pdf - Similar pages

[DOC] **(1)**
File Format: Microsoft Word - View as HTML
Interaction and **query** length in interactive retrieval. ... **Modeling** characteristics of the
user's problematic situation with information search and use ...
www.scils.rutgers.edu/etc/mongrel/Mongrel_NSFreport0603-rutgers.doc - Similar pages

[DOC] **PROJECT TITLE**
File Format: Microsoft Word - View as HTML
A **user modeling** system for personalized **interaction** and tailored retrieval .... They were
able to show that **refining** some short queries with these patterns ...
www.scils.rutgers.edu/etc/mongrel/idm-2002.doc - Similar pages

[PDF] Implicit **User Modeling** for Personalized Search
File Format: PDF/Adobe Acrobat
the **query** to **model** a **user**'s information need. However, since a ..... search results through
refining the **query** sent to the search engine ...
portal.acm.org/citation.cfm?doid=1099554.1099747 - Similar pages

ScienceDirect - Expert Systems with Applications : An ambient ...
An ambient software **monitoring** system for unsupervised **user modelling** ... focused on
inferring **users** intentions by **monitoring user interaction** with software ...
linkinghub.elsevier.com/retrieve/pii/S0957417404001617 - Similar pages

[PDF] Implicit **User Modeling** for Personalized Search
File Format: PDF/Adobe Acrobat - View as HTML
systems rely solely on the **query** to **model** a **user**'s information need. ..... search results
through **refining** the **query** sent to the search engine ...
sifaka.cs.uiuc.edu/czhai/pub/cikm05-ucair.pdf - Similar pages

Personalized broadcast news navigator - Patent 20060047701
8 (e.g., **query**, story selection, media selection) affords an opportunity for **modeling user**
interest in the first two actions and/or **preference** in the last. ...
www.freepatentsonline.com/20060047701.html - 71k - Cached - Similar pages

2008 International Conference on Intelligent User Interfaces
Refining Preference-Based Search Results Through Bayesian Filtering .... A **model** of
user-search-engine **interaction** within the ACT-R cognitive architecture ...

www.iuiconf.org/pastiui/07program.html - 89k - <u>Cached</u> - <u>Similar pages</u>

<u>System and method for obtaining **user preferences** and providing ...</u>
While these systems require little **interaction** with the **user**, ... The record of queries
submitted by a **user** is useful for **modeling** the **user's** interest ...
www.patentstorm.us/patents/6801909-description.html - 64k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>An Ontology-Based Architecture for Adaptive Work-Centered **User** ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
differentiates between "**refining**"entities – entities such as value types and ..... Converters.
ACUITy. Controller. **Interaction**. Logic. **User** Interface **Model** ...
jena.hpl.hp.com/juc2006/proceedings/crapo/paper.pdf - <u>Similar pages</u>

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

Download <u>Google Pack</u>: free essential software for your PC

| user preference modeling and monit | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

©2007 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Google

| user preferences modeling and semantic simil | Search | Advanced Search
Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Scholar   Results **1 - 10** of about **396,000** for <u>user</u> <u>preferences</u> <u>modeling</u> and <u>semantic</u> <u>similarity</u> and l

Scholarly articles for **user preferences modeling and semantic similarity and linguistic features**
Information retrieval: data structures and algorithms - Frakes - Cited by 1181
Linguistic decision analysis: steps for solving decision ... - Herrera - Cited by 147
A **user** attention model for video summarization - Ma - Cited by 118

[PDF] **User Modeling** for Efficient Use of Multimedia Files
File Format: PDF/Adobe Acrobat - View as HTML
other **users** having **similar user preferences** models. We use two levels of **semantic**
features in **user preferences modeling**: lexical **features**, ...
research.microsoft.com/~zhengc/papers/PCM2001_UM.pdf - Similar pages

[PDF] **User** Intention **Modeling** in Web Applications Using Data Mining
File Format: PDF/Adobe Acrobat - View as HTML
differentiated **user**'s intentions from **user**'s **preferences**. Two **linguistic features** (keyword.
and concept **features**) are extracted for intention **modeling**. ...
research.microsoft.com/~zhengc/papers/WWWJ_intention_**modeling**.pdf - Similar pages
[More results from research.microsoft.com]

Measuring **Semantic Similarity** between Words Using Web Search Engines
The study of **semantic similarity** between words has long been an integral part .....
authority, link structure, **user preferences** when ranking search results. ...
www2007.org/htmlpapers/paper632/www_camera.html - 137k - Cached - Similar pages

[PDF] Inferring **User's Preferences** using Ontologies
File Format: PDF/Adobe Acrobat - View as HTML
sity in CF by combining **semantic** and item **similarities** to-. gether. ..... a suitable to **model**
user's **preference** and concept **similarity**, ...
infoscience.epfl.ch/getfile.py?docid=10501&name=AAAI06-222&format=pdf&version=1 -
Similar pages

[PDF] Using an Ontologcial A-priori Score to Infer **User's Preferences**
File Format: PDF/Adobe Acrobat - View as HTML
filling in missing elements of a **user's preference model** using the in- ..... [3] J. Jiang and
D.W Conrath, '**Semantic Similarity** based on corpus and ...
infoscience.epfl.ch/getfile.py?docid=10668&name=ecai2006&format=pdf&version=1 -
Similar pages
[More results from infoscience.epfl.ch]

[PDF] Knowledge Representation and Sharing Using Visual **Semantic ...**
File Format: PDF/Adobe Acrobat
of this paper in knowledge sharing and **semantic modeling**, we .... 2) image **feature**
information; and 3) **user preferences**. The pos- ...
ieeexplore.ieee.org/iel5/4233/32991/01545958.pdf?arnumber=1545958 - Similar pages

[PDF] Semantics **modeling** in diagnostic medical image databases using ...

File Format: PDF/Adobe Acrobat
information, (2) **semantic** information, and. (3). **user. preferences**. 2.1 Image **feature**
information. Each **linguistic** variable is assigned a **feature** extraction ...

ieeexplore.ieee.org/iel5/8573/27148/01206595.pdf - Similar pages

Media agent - Patent 20040220925
Once a **user preference model** 230 is known, the media agent 210 (i.e., **....** [0094] **User preferences** are modeled by analyzing **semantic features** of the media ...
www.freepatentsonline.com/20040220925.html - 105k - Cached - Similar pages

Media agent - Patent 20040215663
It can be appreciated that the **semantic features** can be stored separately, if desired, from the media content. [0131] At block 506, **user preference modeling ...**
www.freepatentsonline.com/20040215663.html - 94k - Cached - Similar pages
[More results from www.freepatentsonline.com]

[PDF] Measuring **Semantic Similarity** between Words Using Web Search Engines
File Format: PDF/Adobe Acrobat - View as HTML
pus in a nonlinear **model**. They proposed a **similarity** mea- **.....** **user preferences** when ranking search results. Consequently, ...
www.cs.bell-labs.com/cm/cs/who/pfps/temp/web/www2007.org/papers/paper632.pdf -
Similar pages

1 2 3 4 5 6 7 8 9 10   **Next**

Try Google Desktop: search your computer as easily as you search the web.

---

user preferences modeling and sem   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

---

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google